

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|----------------------|------------------|---------|------------------|
| L7 | 84 | (rds radio adj data adj system\$1) near5 receiv\$3 and (@rlad<="19960626" @ad<="19960626") and ("370"/\$.ccls. "455"/\$.ccls.) | US-PGPUB; USPAT | OR | OFF | 2005/03/16 13:55 |
| L8 | 48 | (rds radio adj data adj system\$1) adj decod\$3 and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT | OR | OFF | 2005/03/16 13:55 |
| S4 | 37 | (rds rdbs radio adj data adj2 system\$1) and ("370"/\$.ccls. "709"/\$.ccls. "455"/\$.ccls.) and (@rlad<="19960626" @ad<="19960626") and repetition | US-PGPUB; USPAT | OR | OFF | 2005/02/25 18:38 |
| S5 | 2 | (program adj service adj name radio adj text) and (repeat\$3 repetition) with type\$1 and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT | OR | OFF | 2005/02/25 18:46 |
| S6 | 2 | (program adj service adj name radio adj text) and (repeat\$3 repetition\$1) with type\$1 and (repeat\$3 repetition\$1)and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT | OR | OFF | 2005/02/25 18:44 |
| S8 | 3 | (program adj service adj name radio adj text) and (repeat\$3 repetition) same type\$1 and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT | OR | OFF | 2005/02/25 18:46 |
| S9 | 98 | (message data) near3 (repetition repeat\$3) with (class type) and (@rlad<="19960626" @ad<="19960626") and ("370"/\$"709"/\$"714"/\$"455"/\$).ccls. | US-PGPUB; USPAT | OR | OFF | 2005/02/26 15:21 |
| S11 | 7 | "tonella, maurizio".in. | US-PGPUB; USPAT; EPO | OR | OFF | 2005/02/26 15:01 |
| S16 | 12 | thomson.asn. and radio adj data adj system\$1 | US-PGPUB; USPAT; EPO | OR | OFF | 2005/02/26 15:04 |
| S18 | 15 | (rds rdbs radio adj data adj system\$1) and (repeat\$3 repetition\$1) | EPO | OR | OFF | 2005/02/26 15:07 |
| S19 | 6 | (rds rdbs radio adj data adj system\$1) and (fault\$1 error\$1) near3 (receiv\$3 transmission transmit\$3 packet\$1) | EPO | OR | OFF | 2005/02/26 15:08 |

| | | | | | | |
|-----|----|--|-----------------|----|-----|------------------|
| S23 | 57 | (rds rdbs radio adj data adj system\$1).ab,ti,bsum. and (fault\$1 error\$1) near3 (receiv\$3 transmission transmit\$3 packet\$1) and (@ad<="19960626" @rlad<="19960626") | US-PGPUB; USPAT | OR | OFF | 2005/02/26 15:15 |
| S25 | 27 | (repetition repeat\$3) adj3 (rate\$1 frequenc\$3) and (@ad<="19960626" @rlad<="19960626") and (rds rdbs radio adj data radio adj text).ab,ti,bsum. | US-PGPUB; USPAT | OR | OFF | 2005/02/26 15:19 |
| S26 | 24 | (repetition repeat\$3) adj3 (rate\$1 frequenc\$3) and (@ad<="19960626" @rlad<="19960626") and (radio adj data adj system\$1 radio adj text) | US-PGPUB; USPAT | OR | OFF | 2005/02/26 15:23 |
| S27 | 27 | (message data) near3 (repetition repeat\$3) with (class adj type\$1 data adj type\$1) and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT | OR | OFF | 2005/02/26 15:24 |
| S41 | 55 | radio adj data adj system\$1 and consecutive\$2 | US-PGPUB; USPAT | OR | OFF | 2005/03/06 12:44 |
| S42 | 1 | (radio adj data rds) and (repeat\$3 repetition) near3 consecutive\$2 and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT | OR | OFF | 2005/03/06 12:46 |
| S43 | 9 | (radio adj data rds) and (repeat\$3 repetition) with consecutive\$2 and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT | OR | OFF | 2005/03/06 13:49 |
| S52 | 29 | radio adj data adj system\$1 and discriminat\$3 and (@rlaD<="19960226" @ad<="19960226") | US-PGPUB; USPAT | OR | OFF | 2005/03/06 15:49 |
| S54 | 66 | data adj type\$1 near7 (repeat\$3 repetition\$1 duplicat\$3) and (@rlaD<="19960226" @ad<="19960226") | US-PGPUB; USPAT | OR | OFF | 2005/03/06 15:54 |
| S55 | 1 | received adj2 data adj type\$1 with (repeat\$3 repetition\$1 duplicat\$3) and (@rlaD<="19960226" @ad<="19960226") | US-PGPUB; USPAT | OR | OFF | 2005/03/06 15:51 |
| S60 | 27 | identify\$3 adj3 type\$1 near7 (repeat\$3 repetition\$1 duplicat\$3) and (@rlaD<="19960226" @ad<="19960226") | US-PGPUB; USPAT | OR | OFF | 2005/03/06 15:59 |

| | | | | | | |
|-----|-----|--|------------------------|----|-----|------------------|
| S61 | 10 | identify\$3 near4 repetition\$1 and (@rlaD<="19960226" @ad<="19960226") and "370"/\$.ccls. | US-PGPUB; USPAT | OR | OFF | 2005/03/06 16:01 |
| S63 | 175 | radio adj data adj system\$1 and receiver\$1 and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT | OR | OFF | 2005/03/06 16:12 |
| S64 | 18 | radio adj data adj system\$1 and receiver\$1 with (message data) near4 type\$1 and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT | OR | OFF | 2005/03/06 16:18 |
| S65 | 10 | receiv\$3 same repetition near2 identif\$4 and (@rlad<="19960626" @ad<="19960626") and ("455"/\$"370"/\$).ccls. | US-PGPUB; USPAT | OR | OFF | 2005/03/06 16:19 |
| S66 | 32 | repetition near4 (type\$1 class\$2) and (@rlad<="19960626" @ad<="19960626") and ("455"/\$"370"/\$).ccls. | US-PGPUB; USPAT | OR | OFF | 2005/03/06 16:35 |
| S69 | 44 | repetition near4 (type\$1 class\$2) and (@rlad<="19960626" @ad<="19960626") | EPO; JPO | OR | OFF | 2005/03/06 16:37 |
| S72 | 7 | (packet\$1 data messaage) near4 (type\$1 class\$2) with times near3 received and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/03/12 15:27 |
| S76 | 4 | (packet\$1 data messaage) near2 (type\$1 class\$2) same number adj2 times near3 received and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/03/12 15:29 |
| S79 | 40 | (packet\$1 data messaage) near2 (type\$1 class\$2) same repetition\$1 and (@rlad<="19960626" @ad<="19960626") and ("370"/\$"714"/\$).ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/03/12 16:37 |
| S80 | 15 | (packet\$1 data messaage) near2 (type\$1 class\$2) with repetition\$1 and (@rlad<="19960626" @ad<="19960626") and ("370"/\$"714"/\$).ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/03/12 15:30 |
| S81 | 12 | (packet\$1 data messaage) near2 (type\$1 class\$2) same received near5 (repeated repetition\$1) and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/03/12 16:31 |

| | | | | | | |
|-----|----|--|------------------------------|----|-----|------------------|
| S83 | 56 | (packet\$1 data messaage) near4 (type\$1 class\$2) same repetition\$1 and (@rlad<="19960626" @ad<="19960626") and ("370"/\$ "714"/\$).ccls. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/03/12 16:37 |
| S87 | 67 | packet\$1 near4 received near4 (repetition repeated) and (@rlad<="19960626" @ad<="19960626") and ("370"/\$ "714"/\$).ccls. | US-PGPUB; USPAT | OR | OFF | 2005/03/12 16:46 |
| S88 | 8 | packet\$1 near4 received near4 (number adj times) and (@rlad<="19960626" @ad<="19960626") and ("370"/\$ "714"/\$).ccls. | US-PGPUB; USPAT | OR | OFF | 2005/03/12 16:47 |
| S89 | 3 | received near4 (number adj times) with (type\$1 class\$2) and (@rlad<="19960626" @ad<="19960626") and ("370"/\$ "714"/\$).ccls. | US-PGPUB; USPAT | OR | OFF | 2005/03/12 16:48 |
| S90 | 9 | received near4 (number adj times) with (type\$1 class\$2) and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT | OR | OFF | 2005/03/12 16:58 |
| S91 | 46 | received near4 (number adj times) and (packet\$1 message) near2 (type\$1 class\$2) and (@rlad<="19960626" @ad<="19960626") | US-PGPUB; USPAT | OR | OFF | 2005/03/12 16:58 |